

# FAB SAF™ JACK


---



PRODUCT BROCHURE

The B&B SUMNER Fab Saf™ Jack is a robust, wide-base pipe jack stand designed to support heavy fabrication work with utmost safety and convenience. Manufactured with rugged 1" steel tubing and featuring a 30" / 762 mm wide base, the Fab Saf™ stands out for its enhanced stability and load-bearing capability in industrial settings. With a load capacity of up to 3,500 lbs / 1,588 kg (V-head) and 2,500 lbs / 1,134 kg (steel or stainless steel head), this jack is ideal for demanding jobs involving heavy pipes and assemblies.

What distinguishes the Fab Saf™ from other pipe stands is its unique Fall Guard™ safety feature, which ensures a 1" safety zone around the lock washer. The 1.5" ACME thread adjustment system with a large ergonomic handle provides precise height control, while the set screw locks the head to the stand, preventing any loose components during transport. It's also engineered for quick breakdown, allowing for effortless storage and mobility across job sites. With its specialized vee and roller head options, the Fab Saf™ is engineered for versatility, making it an indispensable tool for professional welders, pipefitters, and fabricators.

<b>PART NO</b>	<b>4800</b>		
<small>OLD BB PART NO n/a OLD SUMNER PART NO 780395</small> <b>DESCRIPTION: FAB SAF™ Jack with V-head</b>			
<b>LOAD CAPACITY</b>		<b>SHIPPING WEIGHT</b>	
3,500 lbs	1,588 kg	26 lbs	11.8 kg
Contact us for full crate quantities.			

## SPECIFICATIONS

- Supports up to 3,500 lbs / 1,588 kg with V-head and 2,500 lbs / 1,134 kg with roller head.
- Extra-wide base for stability - features a 30" / 762 mm wide heavy-duty base.
- Fall guard™ safety system - patented feature provides a 1" / 25 mm safety zone around the lock washer.
- 1.5" Acme thread and a large ergonomic handle deliver accurate height adjustments.
- Compatible with three head options: V-head, steel and stainless steel head.
- Constructed with rugged 1" / 25.4 mm steel tubing.
- Height range 32 - 52" / 813 - 1,321 mm.



Fab Saf™ with V-head  
PART NO 4800

PIPE Ø CAPACITY: 36" / 900 mm



Fab Saf™ with steel wheel head  
PART NO 4800SWH

PIPE Ø CAPACITY: 24" / 600 mm

NEW PART NO	OLD SUMNER PART NO	OLD BB PART NO	DESCRIPTION	LOAD CAPACITY	
4800	780395	n/a	Fab Saf™ Jack with V-head	3,500 lbs	1,588 kg
4800SWH	780400	n/a	Fab Saf™ Jack with steel wheel head	2,500 lbs	1,134 kg
4800SSWH	n/a	n/a	Fab Saf™ Jack with stainless steel wheel head	2,500 lbs	1,134 kg

