

LO ADJUST-A-ROLL™



PRODUCT BROCHURE




The **B&B SUMNER Lo Adjust-A-Roll™** is a low-profile folding four leg pipe roller stand. With a pipe capacity of 0.5 - 36" / 12 - 914 mm and load capacity up to 2,500 lbs / 1,135 kg, it combines strength with accuracy. Its quick-change head system allows easy swapping between roller, ball transfer, rubber, stainless steel, or bar stock heads, while the fine adjustment screw ensures precise positioning. The stand's compact dimensions 32 x 24 x 24" / 812.8 x 609.6 x 812.8 mm, make it ideal for bench-top or low-clearance operations.

PART NO	4400BASE		
<small>OLD BB PART NO n/a OLD SUMNER PART NO 780405</small> DESCRIPTION: Lo Adjust-A-Roll™ (base only)			
LOAD CAPACITY		SHIPPING WEIGHT	
n/a	n/a	40 lbs	18.00 kg
SEE ADJUST-A-ROLL ACCESSORIES & PARTS FOR OPTIONS			
Contact us for full crate quantities.			



NEW AND IMPROVED

- **110% increased load capacity (heaviest duty in the industry). 5,290 lbs / 2,400 kg load capacity (with steel wheels).**
- Oversized square tube legs and braces for increased durability. 1 x 1.5" (largest in the industry).
- Square tube bracing offers additional strength and rigidity (heaviest duty box section in the industry).
- Folding leg design for easy storage and strength.
- User friendly.
- Increased footprint for additional stability.





NEW PART NO	OLD SUMNER PART NO	OLD BB PART NO	DESCRIPTION				
4400SWH	780370	n/a	Lo Adjust-A-Roll™ with steel wheel head				
DIMENSIONS (L x W x H)		ADJUSTMENT HEIGHT		LOAD CAPACITY		SHIPPING WEIGHT	
32 x 24 x 24"	812.8 x 609.6 x 812.8 mm	24"	610 mm	5,290 lbs	2,400 kg	45 lbs	20.00 kg



NEW PART NO	OLD SUMNER PART NO	OLD BB PART NO	DESCRIPTION				
4400PWH	780372	n/a	Lo Adjust-A-Roll™ with phenolic wheel head				
DIMENSIONS (L x W x H)		ADJUSTMENT HEIGHT		LOAD CAPACITY		SHIPPING WEIGHT	
32 x 24 x 24"	812.8 x 609.6 x 812.8 mm	24"	812.8 mm	1,000 lbs	450 kg	41 lbs	18.00 kg



NEW PART NO	OLD SUMNER PART NO	OLD BB PART NO	DESCRIPTION				
4400SSWH	780373	n/a	Lo Adjust-A-Roll™ with stainless steel wheel head				
DIMENSIONS (L x W x H)		ADJUSTMENT HEIGHT		LOAD CAPACITY		SHIPPING WEIGHT	
32 x 24 x 24"	812.8 x 609.6 x 812.8 mm	24"	812.8 mm	5,290 lbs	2,400 kg	45 lbs	20.00 kg



NEW PART NO	OLD SUMNER PART NO	OLD BB PART NO	DESCRIPTION				
4400BTH	780371	n/a	Lo Adjust-A-Roll™ with stainless steel ball transfer head				
DIMENSIONS (L x W x H)		ADJUSTMENT HEIGHT		LOAD CAPACITY		SHIPPING WEIGHT	
32 x 24 x 24"	812.8 x 609.6 x 812.8 mm	24"	812.8 mm	3,200 lbs	1,450 kg	42 lbs	19.00 kg



NEW PART NO	OLD SUMNER PART NO	OLD BB PART NO	DESCRIPTION				
4400CRH	780359	n/a	Lo Adjust-A-Roll™ with conveyor roller head				
DIMENSIONS (L x W x H)		ADJUSTMENT HEIGHT		LOAD CAPACITY		SHIPPING WEIGHT	
32 x 24 x 24"	812.8 x 609.6 x 812.8 mm	24"	812.8 mm	2,000 lbs	900 kg	44 lbs	20.00 kg

PART NO		SWH3	
<small>OLD BB PART NO 90065 OLD SUMNER PART NO 783151</small> DESCRIPTION: Quick change steel wheel head (pair)			
LOAD CAPACITY		SHIPPING WEIGHT	
5,290 lbs	2,400 kg	6.60 lbs	3.00 kg



PART NO		SSWH3	
<small>OLD BB PART NO 90066 OLD SUMNER PART NO 783153</small> DESCRIPTION: Quick change stainless steel wheel head (pair)			
LOAD CAPACITY		SHIPPING WEIGHT	
5,290 lbs	2,400 kg	6.60 lbs	3.00 kg



PART NO		PWH3	
<small>OLD BB PART NO 90067 OLD SUMNER PART NO 783152</small> DESCRIPTION: Quick change phenolic wheel head (pair)			
LOAD CAPACITY		SHIPPING WEIGHT	
1,000 lbs	450 kg	4.90 lbs	2.20 kg



PART NO		BTH3	
<small>OLD BB PART NO 90068 OLD SUMNER PART NO 783154</small> DESCRIPTION: Quick change stainless steel ball transfer head (pair)			
LOAD CAPACITY		SHIPPING WEIGHT	
3,200 lbs	1,450 kg	6.60 lbs	3.00 kg



PART NO		CRH3	
<small>OLD BB PART NO n/a OLD SUMNER PART NO 783155</small> DESCRIPTION: Quick change conveyor roller head			
LOAD CAPACITY		SHIPPING WEIGHT	
2,000 lbs	900 kg	4.90 lbs	2.20 kg

