

# LO HEAVY DUTY PRO-JACK FIXED LEG PIPE JACK

---



PRODUCT BROCHURE



# HI HEAVY DUTY PRO-JACK FIXED LEG PIPE JACKS

The B&B SUMNER Hi Heavy Duty Pro-Jack is designed to offer durable and stable support for heavy-duty pipework in industrial and fabrication environments. This jack features a rugged fixed-leg steel construction and accommodate significant load capacities, ensuring operational safety and efficiency. All pipe jacks and pipe stands are rated with at least a 2:1 safety ratio that is third party tested. We have made B&B SUMNER Pro-Jacks the strongest, most durable products on the market. B&B SUMNER also offers an extensive range of head options for any pipe fabrication application.

**4100 - Hi Heavy Duty Pro-Jack (with V-head)**



### SPECIFICATIONS

- 2,500 lbs / 1,135 kg load capacity.
- Third party tested with at least a 2:1 safety ratio.
- Oversized 10" V-head for increased safety.
- Oversized square tube legs and braces for increased durability.
- 1½" (1.5") ACME rod is largest in the industry.
- Quick lock washer height adjustment for easy use.
- More head options than any other manufacturer.
- Increased width stance for better stability.
- Square tube bracing offers additional strength and rigidity.
- Safety washer can be locked on to base for increased operator safety.

<b>PART NO</b>	<b>4100</b>		
<small>OLD BB PART NO 4100 OLD SUMNER PART NO 780375 or 780471</small> <b>DESCRIPTION:</b> Hi Heavy Duty Pro-Jack with V-head			
<b>LOAD CAPACITY</b>		<b>SHIPPING WEIGHT</b>	
2,500 lbs	1,135 kg	19.85 lbs	9.00 kg
<b>SEE PIPE JACK ACCESSORIES FOR INDIVIDUAL HEAD OPTIONS</b>			
Available in a crate of 42 pieces ( <b>PART NO 4100x42</b> )			



**PIPE Ø CAPACITY: up to 12" / 300 mm**

NEW PART NO	OLD SUMNER PART NO	OLD BB PART NO	DESCRIPTION	LOAD CAPACITY	
4100	780375 or 780471	4100	Hi Heavy Duty Pro-Jack with V-head	2,500 lbs	1,135 kg
4100GVH	780326	4101	Hi Heavy Duty Pro-Jack with gusset V-head	2,500 lbs	1,135 kg
4100SVH	n/a	4103	Hi Heavy Duty Pro-Jack with safety V-head	2,500 lbs	1,135 kg
4100SWH	780376 or 780472	4105	Hi Heavy Duty Pro-Jack with steel wheel head	2,000 lbs	910 kg
4100PWH	780381 or 780477	4110	Hi Heavy Duty Pro-Jack with phenolic wheel head	1,000 lbs	450 kg
4100SSWH	780378 or 780474	4135	Hi Heavy Duty Pro-Jack with stainless steel wheel head	2,000 lbs	910 kg
4100SSH	780379 or 780475	n/a	Hi Heavy Duty Pro-Jack with stainless steel V-head sleeves (pair)	2,500 lbs	1,135 kg
4100BTH	780380 or 780476	n/a	Hi Heavy Duty Pro-Jack with stainless steel ball transfer head (pair)	1,000 lbs	450 kg
4100PCV	n/a	n/a	Hi Heavy Duty Pro-Jack with pipe chain vice head	550 lbs	250 kg
4100CRH	780377 or 780473	4115	Hi Heavy Duty Pro-Jack with conveyor roller head	550 lbs	250 kg
4100CVH	n/a	4120	Hi Heavy Duty Pro-Jack with conveyor V-head	550 lbs	250 kg

B&B SUMNER offers besides the popular Hi Heavy Duty Pro Jack also an alternative Lo Heavy Duty Pro Jack with the same specifications but lower working heights. These variations offer the same quality, versatility and reliability for the operator. The low profile jacks are popular in general pipe fabrication, installation and maintenance work as well as in mechanical workshops.

<b>PART NO</b>	<b>4200</b>		
<small>OLD BB PART NO 4200 OLD SUMNER PART NO 780385</small> <b>DESCRIPTION:</b> Lo Heavy Duty Pro-Jack with V-head			
<b>LOAD CAPACITY</b>		<b>SHIPPING WEIGHT</b>	
2,500 lbs	1,135 kg	18.00 lbs	8.00 kg
<b>SEE PIPE JACK ACCESSORIES FOR INDIVIDUAL HEAD OPTIONS</b>			
Available in a crate of 80 pieces ( <b>PART NO 4200x80</b> )			


**PIPE Ø CAPACITY: up to 12" / 300 mm**



**HEIGHT**  
20 - 37"  
508 - 939.8 mm

**4200 - Lo Heavy Duty Pro-Jack (with V-head)**

NEW PART NO	OLD SUMNER PART NO	OLD BB PART NO	DESCRIPTION	LOAD CAPACITY	
4200	780385	4200	Lo Heavy Duty Pro-Jack with V-head	2,500 lbs	1,135 kg
4200GVH	n/a	n/a	Lo Heavy Duty Pro-Jack with gusset V-head	2,500 lbs	1,135 kg
4200SWH	780386	4205	Lo Heavy Duty Pro-Jack with steel wheel head	2,000 lbs	910 kg
4200PWH	780391	4210	Lo Heavy Duty Pro-Jack with phenolic wheel head	1,000 lbs	450 kg
4200SSWH	780388	4235	Lo Heavy Duty Pro-Jack with stainless steel wheel head	2,000 lbs	910 kg
4200SSH	780389	n/a	Lo Heavy Duty Pro-Jack with stainless steel V-head sleeves (pair)	2,500 lbs	1,135 kg
4200BTH	780390	n/a	Lo Heavy Duty Pro-Jack with stainless steel ball transfer head (pair)	1,000 lbs	450 kg
4200PCV	n/a	n/a	Lo Heavy Duty Pro-Jack with pipe chain vice head	550 lbs	250 kg
4200CRH	780387	n/a	Lo Heavy Duty Pro-Jack with conveyor roller head	550 lbs	250 kg
4200CVH	n/a	n/a	Lo Heavy Duty Pro-Jack with conveyor V-head	550 lbs	250 kg

<b>PART NO</b>	<b>4240</b>		
<small>OLD BB PART NO 4240 OLD SUMNER PART NO n/a</small> <b>DESCRIPTION:</b> Stubby Heavy Duty Pro-Jack with V-head			
<b>LOAD CAPACITY</b>		<b>SHIPPING WEIGHT</b>	
2,500 lbs	1,135 kg	14.00 lbs	6.50 kg
<b>SEE PIPE JACK ACCESSORIES FOR INDIVIDUAL HEAD OPTIONS</b>			
Available in a crate of 94 pieces ( <b>PART NO 4240x94</b> )			

**PIPE Ø CAPACITY: up to 12" / 300 mm**





**HEIGHT**  
16 - 26"  
406.4 - 660.4 mm


**4240 - Stubby Heavy Duty Pro-Jack (with V-head)**

NEW PART NO	OLD SUMNER PART NO	OLD BB PART NO	DESCRIPTION	LOAD CAPACITY	
4240	n/a	4240	Stubby Heavy Duty Pro-Jack with V-head	2,500 lbs	1,135 kg
4240GVH	n/a	4241	Stubby Heavy Duty Pro-Jack with gusset V-head	2,500 lbs	1,135 kg
4240SWH	n/a	4245	Stubby Heavy Duty Pro-Jack with steel wheel head	2,000 lbs	910 kg
4240PWH	n/a	n/a	Stubby Heavy Duty Pro-Jack with phenolic wheel head	1,000 lbs	450 kg
4240SSWH	n/a	n/a	Stubby Heavy Duty Pro-Jack with stainless steel wheel head	2,000 lbs	910 kg
4240SSH	n/a	n/a	Stubby Heavy Duty Pro-Jack with stainless steel V-head sleeves (pair)	2,500 lbs	1,135 kg
4240BTH	n/a	n/a	Stubby Heavy Duty Pro-Jack with stainless steel ball transfer head	1,000 lbs	450 kg
4240PCV	n/a	n/a	Stubby Heavy Duty Pro-Jack with pipe chain vice head	550 lbs	250 kg
4240CRH	n/a	n/a	Stubby Heavy Duty Pro-Jack with conveyor roller head	550 lbs	250 kg
4240CVH	n/a	n/a	Stubby Heavy Duty Pro-Jack with conveyor V-head	550 lbs	250 kg


## PIPE JACK V-HEADS


PART NO	PJVH	5" / 127 mm	
<small>OLD BB PART NO 90001 OLD SUMNER PART NO 780518</small> <b>DESCRIPTION:</b> Pipe Jack V-head			
LOAD CAPACITY		SHIPPING WEIGHT	
2,500 lbs	1,135 kg	7.50 lbs	3.40 kg

PART NO	PJGVH	5" / 127 mm	
<small>OLD BB PART NO 30048 OLD SUMNER PART NO 780918</small> <b>DESCRIPTION:</b> Pipe Jack Gusset V-head			
LOAD CAPACITY		SHIPPING WEIGHT	
2,500 lbs	1,135 kg	8 lbs	3.6 kg

PART NO	PJSVH	5" / 127 mm	
<small>OLD BB PART NO 90035 OLD SUMNER PART NO n/a</small> <b>DESCRIPTION:</b> Pipe Jack Safety V-head & Tube Set			
LOAD CAPACITY		SHIPPING WEIGHT	
2,500 lbs	1,135 kg	14 lbs	6.4 kg


## HOLD-E V-HEAD & HOLD DOWN DEVICE

PART NO	HOLDE	5" / 127 mm	
<small>OLD BB PART NO n/a OLD SUMNER PART NO 785000</small> <b>DESCRIPTION:</b> Hold-E V-head Hold Down			
PIPE DIAMETER		SHIPPING WEIGHT	
Min. 0.75" / 19 mm	Max. 6" / 152 mm	8.7 lbs	3.9 kg


PART NO	HDD	5" / 127 mm	
<small>OLD BB PART NO 3506 OLD SUMNER PART NO 781050</small> <b>DESCRIPTION:</b> Hold down device			
PIPE DIAMETER		SHIPPING WEIGHT	
Max. 36"	915 mm	15.40 lbs	7.00 kg

## PIPE JACK HEADS


PART NO	SWH1	5" / 127 mm	
<small>OLD BB PART NO 90002 OLD SUMNER PART NO 780514</small> <b>DESCRIPTION:</b> Pipe Jack steel wheel head			
LOAD CAPACITY		SHIPPING WEIGHT	
2,000 lbs	910 kg	10.80 lbs	4.90 kg

PART NO	SSWH1	5" / 127 mm	
<small>OLD BB PART NO 90005 OLD SUMNER PART NO 780517</small> <b>DESCRIPTION:</b> Pipe Jack stainless steel wheel head			
LOAD CAPACITY		SHIPPING WEIGHT	
2,000 lbs	910 kg	10.80 lbs	4.90 kg

PART NO	PWH1	5" / 127 mm	
<small>OLD BB PART NO 90003 OLD SUMNER PART NO 780499</small> <b>DESCRIPTION:</b> Pipe Jack phenolic wheel head			
LOAD CAPACITY		SHIPPING WEIGHT	
1,000 lbs	450 kg	7.30 lbs	3.30 kg

PART NO	PCV1	5" / 127 mm	
<small>OLD BB PART NO 90033 OLD SUMNER PART NO N/A</small> <b>DESCRIPTION:</b> Pipe chain vice head (0.5 - 6" / 12.7 - 152.4 mm)			
LOAD CAPACITY		SHIPPING WEIGHT	
550 lbs	250 kg	14.30 lbs	6.50 kg

PART NO	CRH1	5" / 127 mm	
<small>OLD BB PART NO 90019 OLD SUMNER PART NO 780519</small> <b>DESCRIPTION:</b> Pipe Jack conveyor roller head			
LOAD CAPACITY		SHIPPING WEIGHT	
550 lbs	250 kg	9.40 lbs	4.25 kg

PART NO	CVH1	5" / 127 mm	
<small>OLD BB PART NO 90021 OLD SUMNER PART NO 780519</small> <b>DESCRIPTION:</b> Pipe Jack conveyor V-head			
LOAD CAPACITY		SHIPPING WEIGHT	
550 lbs	250 kg	9.40 lbs	4.25 kg

\* SLIP-ON STYLE HEADS NEED TO BE COMBINED WITH PIPE JACK V-HEAD (PART NO PJVH) OR PIPE JACK SAFETY V-HEAD & TUBE SET (PART NO PJSVH)

## V-HEAD SLIP-ON STYLE HEADS

PART NO		SWH2	
<small>OLD BB PART NO 90060 OLD SUMNER PART NO N/A</small> <b>DESCRIPTION:</b> Slip-on steel wheel head (pair)			
LOAD CAPACITY			
1,000 lbs	450 kg	7.30 lbs	3.30 kg

PART NO		SSWH2	
<small>OLD BB PART NO 90061 OLD SUMNER PART NO N/A</small> <b>DESCRIPTION:</b> Slip-on stainless steel wheel head (pair)			
LOAD CAPACITY			
1,000 lbs	450 kg	7.30 lbs	3.30 kg

PART NO		PWH2	
<small>OLD BB PART NO 90032 OLD SUMNER PART NO N/A</small> <b>DESCRIPTION:</b> Slip-on phenolic wheel head (pair)			
LOAD CAPACITY			
1,000 lbs	450 kg	4.40 lbs	2.00 kg

PART NO		BTH2	
<small>OLD BB PART NO 90000 OLD SUMNER PART NO 780274</small> <b>DESCRIPTION:</b> Pipe jack stainless steel ball transfer head (pair)			
LOAD CAPACITY			
1,000 lbs	450 kg	5.50 lbs	2.50 kg

PART NO		SSH2	
<small>OLD BB PART NO 90004 OLD SUMNER PART NO 780498</small> <b>DESCRIPTION:</b> Pipe jack stainless steel head (pair)			
LOAD CAPACITY			
3,500 lbs	1,585 kg	2.20 lbs	1.00 kg