


# BEAM CLAMP ROLLERS

4 - 60" / 114.3 - 1,524 mm



PRODUCT BROCHURE



## BEAM CLAMP ROLLERS

### 4 - 60" / 114.3 - 1,524 mm

Mathey Dearman's Beam Clamp Rollers are used for a variety of industries and applications, typically for installation of pipes into racks at Refineries, Power Stations and other Industrial Plants.

All the Mathey Dearman Beam Clamp Rollers are designed to be light weight, with I-beam clamps for quick installation and various roller head options so that all sizes and weights of pipe can be easily, safely and efficiently installed.

#### FEATURES AND ADVANTAGES

- Six configurations from 1 - 10 tons capacity
- Three sizes for 2 - 60" pipe diameters
- Urethane wheels with sealed bearings
- Easy to replace wheels, bolt off and on in seconds
- Comes ready to use on Stainless Steel
- Convenient and safe carry handles on all models
- Safety leash included with all models



	2110	2110HD	2125	2125HD	2135	2135HD
<b>DESCRIPTION</b>	Beam Clamp Roller 2 - 24"	Beam Clamp Roller HD 2 - 24"	Beam Clamp Roller 4 - 48"	Beam Clamp Roller HD 4 - 48"	Beam Clamp Roller 16 - 60"	Beam Clamp Roller HD 16 - 60"
<b>LOAD CAPACITY</b>	2,500 lbs	7,500 lbs	10,000 lbs	20,000 lbs	10,000 lbs	20,000 lbs
	1,100 kg	3,400 kg	4,540 kg	9,070 kg	4,540 kg	9,070 kg
<b>PIPE DIAMETER RANGE</b>	2 - 24"	2 - 24"	4 - 48"	4 - 48"	16 - 60"	16 - 60"
	60.3 - 610 mm	60.3 - 610 mm	114.3 - 1,220 mm	114.3 - 1,220 mm	400 - 1,530 mm	400 - 1,530 mm
<b>UNIT WEIGHT</b>	59 lbs	95 lbs	130 lbs	180 lbs	145 lbs	200 lbs
	27 kg	43 kg	59 kg	82 kg	66 kg	91 kg
<b>DIMENSIONS L x W x H</b>	16.5 x 20.5 x 8"	16.5 x 20.5 x 8"	19 x 30 x 8.75"	19 x 30 x 8.75"	21 x 34 x 8.75"	21 x 34 x 8.75"
	419.1 x 520.7 x 203.2 mm	419.1 x 520.7 x 203.2 mm	482.6 x 762 x 222.3 mm	482.6 x 762 x 222.3 mm	533.4 x 863.6 x 222.25 mm	533.4 x 863.6 x 222.25 mm
<b>BEAM FLANGE WIDTH RANGE</b>	6 - 12"	6 - 12"	6 - 12"	6 - 12"	6 - 12"	6 - 12"
	152.4 x 304.8 mm	152.4 x 304.8 mm	152.4 x 304.8 mm	152.4 x 304.8 mm	152.4 x 304.8 mm	152.4 x 304.8 mm
<b>SHIPPING WEIGHT</b>	17 x 21 x 8"	17 x 21 x 8"	19 x 30 x 9"	19 x 30 x 9"	21 x 34 x 9"	21 x 34 x 9"
	431.8 x 533.4 x 203.2 mm	431.8 x 533.4 x 203.2 mm	482.6 x 762 x 228.6 mm	482.6 x 762 x 228.6 mm	533.4 x 863.6 x 228.6 mm	533.4 x 863.6 x 228.6 mm

**SAFETY LEASH INCLUDED**



**Roller maintains at centre of I Beam**

