

PIPE LAUNCHERS

2 - 60" / 50.8 - 1,524 mm



PRODUCT BROCHURE



PIPE LAUNCHERS

2 - 60" / 50.8 - 1,524 mm

Mathey Dearman's Pipe Launchers have fully compatible parts that can change from a pipe rack clamping roller to a pipeline launcher in just a few minutes.

The unique clamping system fastens the roller to an I-beam from both sides of the flange.

This option is great for installing and fabricating pipe in pipe racks or other tight and enclosed areas.

Also, the roller mechanism can be attached to a stand better suited for pipeline work and/or directional drilling.



SPECIFICATIONS

- Replaceable urethane roller wheels unbolt in seconds.
- Convenient and safe carry handles.
- Converts from pipe launcher to beam roller.
- Pipe Launchers nest and stack efficiently for shipping and storage.
- Easy part replacement with modular design.
- Add wheels to convert standard capacity to heavy-duty capacity.
- From 2 - 60" pipe capacity.
- Up to 20,000 lbs weight capacity.

PART NO.	DESCRIPTION	LOAD CAPACITY		WEIGHT CAPACITY		SHIPPING WEIGHT		DIMENSIONS L x W x H1 - H2	
		2 - 24"	50.8 - 609.6 mm	2,500 lbs	1,100 kg	89	40.4	23 x 26 x 18"	584.2 x 660.4 x 457.2 mm
2115	Pipe Launcher (two rollers)	2 - 24"	50.8 - 609.6 mm	2,500 lbs	1,100 kg	89	40.4	23 x 26 x 18"	584.2 x 660.4 x 457.2 mm
2115HD	Pipe Launcher HD (six rollers)	2 - 24"	50.8 - 609.6 mm	7,500 lbs	3,400 kg	126	57.2	23 x 26 x 18"	584.2 x 660.4 x 457.2 mm
2126	Pipe Launcher (two rollers)	4 - 48"	101.6 - 1,219.2 mm	10,000 lbs	4,540 kg	162	73.5	30 x 36 x 19"	762 x 914.4 x 482.6 mm
2126HD	Pipe Launcher HD (six rollers)	4 - 48"	101.6 - 1,219.2 mm	20,000 lbs	9,070 kg	213	96.6	30 x 36 x 19"	762 x 914.4 x 482.6 mm
2136	Pipe Launcher (two rollers)	16 - 60"	406.4 - 1,524 mm	10,000 lbs	4,540 kg	178	80.7	30 x 36 x 19"	762 x 914.4 x 482.6 mm
2136HD	Pipe Launcher HD (six rollers)	16 - 60"	406.4 - 1,524 mm	20,000 lbs	9,070 kg	229	103.9	30 x 36 x 19"	762 x 914.4 x 482.6 mm

